

Fig. 1A



Fig. 1B



Fig. 1C



Fig. 2



Fig. 3

3/6


100
110
Designate source block(s)
125
Determine an intersection of characteristic of source blocks
120
Select characteristic(s) of source block(s)
135
Determine blocks having characteristics corresponding to selected characteristic of source blocks
115
Create data structure
Designate destination block(s)
130
140
Propagate characteristic(s) of source block(s) to destination block(s)
145
Storing information relating to selecting and propagation
150
Undo propagation of characteristic(s)

Fig. 4


200
Open block
Open block in new window
Cut
Copy
Delete
Mask parameters...
SubSystem parameters...
Block properties...
Real-Time Workshop
Fixed-Point settings...
Attribute Propagation
210
Mask subsystem
Look under mask
Link options
Format
Foreground color
Background color
Help

Fig. 5


Attribute Menu: Bit Wise Logical 0...
Attribute
Value
310
Text Format
FontName
312
FontSize
314
FontAngle
316
320
Block Format
Position
322
Orientation
324
ForegroundColor
326
BackgroundColor
328
330
Callback Functions
340
Mask Values
350
Fixed-Point Attributes
360
Code Generation Attributes
RTWFcnName
362
365
OK
Cancel
Help

Fig. 6

6/6


CPU
13
Display Device
15
Keyboard
17
Mouse
19
Electronic Device
11
Primary Storage
21
Secondary Storage
23
Network Interface
25

Fig. 7